



submitted for obtaining EU financial contribution

Annex II: Control programme – Reduction of prevalence of Salmonella serotypes in certain poultry populations

Member States seeking an EU financial contribution for national programmes for eradication, control and surveillance of animal diseases and zoonosis shall submit online this document completely filled out by the 31 May of the year preceding its implementation (part 2.1 of Annex I to the Single Market Programme Regulation).

If encountering difficulties:

- concerning the information requested, please contact HADEA-VET-PROG@ec.europa.eu.
- on the technical point of view, please contact SANTE-BI@ec.europa.eu, include in your message a printscreen of the complete window where the problem appears and the version of this pdf:

Protection of Your Personal Data:

For consultation about the processing and the protection of your personal data, please click to follow this link

[Privacy Statement](#)

Instructions to complete the form:

- 1) You can attach documents (.docx, .xlsx, .pdf, etc) to complete your report.
Using the button "Add attachments" on the last page of the form.
- 2) Before submitting this form, please use the button "Verify form"(bottom right of each page).
If needed, complete your pdf document as indicated.
- 3) When you have finished completing this pdf document, save it on your computer.
- 4) Verify that your internet connection is active and then click on the "Submit notification" button and your pdf document will be sent to our server. A submission number will appear on your document.
Save this completed document on your computer for your record.
- 5) For simplification purposes you are invited to submit multi-annual programmes.
- 6) You are invited to submit your programmes in English.

Document version number: 2022 1.0

Member state : ESPANA

Disease Salmonella

Animal population Fattening flocks of Turkeys

This program is multi annual :

Request of Union co-financing from beginning :

1. Contact data

Name Phone

Email Your job type within the CA :

Submission Date

30/11/2022 15:25:43

Submission Number

1669818345703-18933



Fattening flocks of Turkeys

A. Technical information

By submitting this programme, the Member State (MS) attests that the relevant provisions of the EU legislation will be implemented during its entire period of approval, in particular:

- Regulation (EC) No 2160/2003 on the control of *Salmonella* and other specified food-borne zoonotic agents,
- Regulation (EU) No 1190/2012 concerning a Union target for the reduction of *Salmonella* Enteritidis and *Salmonella* Typhimurium in flocks of turkeys,
- Regulation (EC) No 1177/2006 implementing Regulation (EC) No 2160/2003 as regards requirements for the use of specific control methods in the framework of the national programmes for the control of *Salmonella* in poultry.

As a consequence, the following measures will be implemented during the whole period of the programme:

- 1. The aim of the programme** is to implement all relevant measures in order to reduce the maximum annual percentage of flocks of *turkeys* remaining positive to *Salmonella* Enteritidis (SE) and *Salmonella* Typhimurium (ST)(including the serotypes with the antigenic formula 1,4,[5],12:i:-)('Union target') to 1% or less. However, for the MS with less than 100 flocks of adult fattening turkeys, the Union target shall be that annually no more than one flock of adult fattening turkeys may remain positive.

yes

no

If no please explain.

The National Programme takes account of the specifications set out in Commission Regulation (EC) No 1190/2012 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council with regard to the Community objective of reducing the prevalence of *Salmonella* enteritidis and *Salmonella* typhimurium in turkeys. Accordingly, the target will be the reduction of the maximum percentage of fattening turkey flocks that continue to test positive for *Salmonella* Enteritidis and *Salmonella* Typhimurium, including monophasic strains of *Salmonella* typhimurium with the antigenic formula 1,4,[5],12:i:-, to 1 % or less and the reduction of the maximum percentage of adult breeding turkey flocks that continue to test positive for *Salmonella* Enteritidis and *Salmonella* Typhimurium, including monophasic strains of *Salmonella* Typhimurium with the antigenic formula 1,4,[5],12:i:-, to 1 % or less.

However, given that there are currently fewer than 100 breeding turkey flocks in Spain, the Community target could be no more than one adult breeding turkey flock continuing to test positive.

DEFINITION OF POSITIVE

For the purposes of verifying the attainment of the Community objective, a flock of turkeys shall be considered positive when:

Fattening flocks of Turkeys

a) the presence of *Salmonella* Enteritidis or *Salmonella* Typhimurium, including monophasic strains of *Salmonella* Typhimurium with the antigenic formula 1,4,[5],12:i:- (therefore different from the vaccine strains) has been detected in the flock at any time, or

b) when antimicrobials or bacterial growth inhibitors have been detected in the flock.

Positive flocks of turkeys shall be counted only once per round, irrespective of the number of sampling and testing operations and only be reported in the year of the first positive sampling.

If either of the two serotypes (*S. Enteritidis* or *S. Typhimurium*, including the strains with the antigenic formula 1,4,[5],12:i:-) is detected in any of the samples taken from fattening turkey flocks, the appropriate measures shall be taken and shall involve at least the following:

1. In all turkey flocks in which a positive result was obtained, an in-depth epidemiological investigation shall be carried out in an attempt to identify the cause of the positive result and detect the source of infection in accordance with the epidemiological enquiry attached to the programme. If it is considered necessary, an official sample may be taken of the feed and/or water being used on the holding or given to that flock.

2. A thorough check of the biosafety measures for all the flocks in the holding will be carried out in accordance with the guideline protocol for verifying biosafety measures on turkey holdings, and it will be verified that own checks on such flocks are being carried out correctly on these flocks.

3. No movements of live turkeys to or from the area will be permitted unless prior authorisation has been obtained for them to leave the holding for the purposes of slaughter or destruction. Any transfer of animals must be accompanied by a health document to be drawn up and completed by the competent authority indicating at least the number of animals and the information necessary to identify the holding and the transporter.

4. Products obtained from these birds may be placed on the market for human consumption only in compliance with Community legislation on food hygiene in force and with part E of Annex II to Regulation (EC) No 2160/2003. If not destined for human consumption, such products must be used or disposed of in accordance with Regulation (EC) No 1069/2009 of the European Parliament and of the Council of 21 October 2009 laying down health rules concerning animal by-products not intended for human consumption and repealing Regulation (EC) No 1774/2002.

5. Once the birds have been removed, the holding will be cleaned efficiently and thoroughly (including complete removal of the bedding and excrement), followed by disinfection, insect removal and rat extermination. The above tasks shall be performed using properly authorised and registered products. A suitable time after disinfection is complete, environmental samples will be taken to check the effectiveness of the cleaning and disinfection and to make sure that *Salmonella* is no longer present in the environment. The competent authorities shall check whether the cleaning and disinfection measures applied following the destocking of the shed have been performed to a satisfactory standard and, if appropriate, shall authorise restocking with new animals.

For the cleaning and disinfection procedure to be considered valid, measures explained in point 14 of this programme shall be performed.

Fattening flocks of Turkeys

6. The premises shall not be restocked for 12 days after completion of the cleaning, disinfection, rat extermination and if necessary insect removal processes. Restocking may take place only if the environmental analyses carried out in accordance with the programme are satisfactory, and if biosafety measures considered inadequate or deficient by the competent authority have been properly corrected.

However, in those cases where the results of those tests prove the effectiveness of the cleaning and disinfection undertaken, the waiting period may be reduced to a minimum of 7 days.

7. The competent authorities shall be informed of the dates of departure of the birds in the flock, disinfection, taking of environmental samples and restocking, and all of these processes shall be duly recorded for possible consultation by the competent authorities. Preventive depopulation of the shed in which the positive flock was kept (and, when appropriate, slaughter or destruction of the animals and restocking) must all take place under official supervision.

8. If necessary, results may be requested of laboratory analyses of the worker/s in charge of the animals or anybody who can be considered as a risk in order to determine whether there are any *Salmonella* spp. carriers among them.

If, however, a serotype not concerned by the control programme is identified, the following measures will be taken:

1. An in-depth epidemiological investigation shall be carried out in an attempt to identify the cause of the positive result and detect the source of infection. Where appropriate, official samples may be taken of the feed and/or water used on the holding or given to the positive flock.

2. Thorough checks on the biosafety measures for all flocks on the holding in accordance with the procedure for checking biosafety measures on turkey holdings.

2. Geographical coverage of the programme

The programme will be implemented on the **whole territory** of the MS.

yes

no

If no please explain.

3. Flocks subject to the programme

The programme covers all flocks of fattening turkeys. It does not apply to flocks for private domestic use.

yes

no

Fattening flocks of Turkeys

If no please explain.

It shall apply on all holdings where turkeys are reared for slaughter in accordance with point 1 of the Annex to Commission Regulation (EU) No 1190/2012.

In fattening turkey holdings from which the producer directly supplies small quantities of primary products to the final consumer or to a local retail establishment directly supplying primary products to the final consumer; at least 1 FBO control shall carry out in all flocks in the farm at that moment. The competent authorities of the Autonomous Communities shall take the steps necessary to ensure control and monitoring of salmonellosis of importance for public health.

This programme shall not apply to holdings that produce primary products intended for self-consumption (for private domestic use). Holdings to which the programme applies must be authorised and registered by the competent authorities. For the purposes of the programme, an epidemiological unit shall be considered to be a flock of turkeys, defined as all poultry reared for the production of meat or eggs with the same health status kept on the same premises or within the same enclosure and constituting a single population in epidemiological terms; in the case of housed poultry, this includes all birds sharing the same airspace in accordance with Article 2(3)(b) of Regulation (EC) No 2160/2003 of the European Parliament and of the Council. Flocks of turkeys shall have an individual identification. To identify the flocks on a holding a capital letter corresponding to the shed shall be used (this letter must be written on the door to the shed), and the date of entry of the birds to the shed must be written in the format mm/yyyy.

	Number of holdings
Total number of holdings with fattening turkeys in the MS	690
Total number of houses in these holdings	4 250
Number of holdings with more than 500 fattening turkeys	685

NB : All cells shall be filled in with the best estimation available.

4. Notification of the detection of target *Salmonella* serovars

A procedure is in place which guarantees that the detection of the presence of the relevant *Salmonella* serotypes during sampling at the initiative of the food business operator (FBO) is notified without delay to the competent authority (CA) by the laboratory performing the analyses. Timely notification of the detection of the presence of any of the relevant *Salmonella* serotypes remains the responsibility of the FBO and the laboratory performing the analyses.

yes

no

If no please explain.

All legal or natural persons, and particularly veterinarians, must notify the competent authorities of any confirmed or suspected cases of salmonella, whether or not they are related, and of action taken in the context of the national programmes for the control of salmonella. Accordingly, all confirmed or

Fattening flocks of Turkeys

suspicious results from samples taken and analysed by operators for purposes other than those of the National Salmonella Control Plans (PNCS) must also be reported as if they were part of the plans.

When *Salmonella* spp. is isolated in samples taken in controls by the operator, the laboratories must carry out serotyping to be able to distinguish at least between the serotypes to be monitored under this programme and others. The laboratory itself may undertake serotyping or commission another laboratory that is authorised for the purposes of the PNCS, as described at point 10 of this programme, to do so. If the serotyping shows positive for the serotypes to be monitored, for any other serotype or if the presence of these serotypes cannot be ruled out and the initial sample was taken in an own check, the competent authority must be notified as soon as possible, and never later than 48 hours after the laboratory and the owner of the holding receive the results of the analysis.

5. Biosecurity measures

FBOs have to implement measures to prevent the contamination of their flocks.

yes

no

If no, please explain also the biosecurity measures that shall be applied, quote the document describing them (if any) and attach a copy (or indicate the URL address)

Biosecurity measures will be verified at least once a year, observing the protocol included in this programme for checking biosafety measures, on all of the turkey holdings from which samples are collected as part of the official checks.

The data gathered in such exercises must be recorded using the computer application in the 'Biosafety' section, whether or not official samples were collected.

If, in the course of an inspection, significant shortcomings in the biosecurity measures are detected, this shall be made known to the holder by means of an official notice, drawn up in at least triplicate and addressed to the holder or his legal representative or the person in charge of the animals, setting out all the shortcomings and the deadlines set for them to be remedied.

The official veterinarian shall adopt a proportionate and progressive approach in his work to enforce biosecurity rules and measures.

The competent authority may, if necessary, make use of the measures established in Chapter IV, Title V, of Law 8/2003 on Animal Health. Other measures or sanctions may also be applied to the flock, or to the whole holding: depending on the seriousness of the shortcoming detected, they may range from placing the holding under quarantine to withdrawing the health authorisation for its operation.

The guideline protocol to be observed when checking and evaluating biosecurity measures on turkey holdings is attached.

Fattening flocks of Turkeys

6. Minimum sampling requirements for food business operators (FBO):

Samples at the initiative of the FBO's will be taken and analysed to test for the target *Salmonella* serovars respecting the following minimum sampling requirements:

All flocks of fattening turkeys within three weeks before slaughter.

yes

no

The competent authority may authorise sampling in the last six weeks prior to the date of slaughter in case the turkeys are either kept more than 100 days or fall under organic turkey production according to Commission Regulation (EC) No 889/2008.

yes

no

If no please explain. Indicate also who takes the FBO samples. If the derogation is applied, how many holdings and flocks are concerned.

Samples shall be taken in accordance with the following minimum requirements:

Sampling of all the flocks on a holding in the course of own checks shall be performed by the holder and the veterinarian responsible for the holding, or may be carried out by qualified staff of the laboratory performing the analyses. The veterinarian responsible for the holding shall verify that the sampling protocol is being observed in accordance with the conditions set in this programme.

Samples of faeces from all flocks on the holding shall be taken using boot swabs during the three weeks prior to the birds' departure for the slaughterhouse. The results of the analyses on the samples must be known before the animals leave for the slaughterhouse.

The competent authority may authorise sampling in the last six weeks prior to the date of slaughter in case the turkeys are:

- kept more than 100 days or;
- reared using organic production methods according to Commission Regulation (EC) No 889/2008.

RECORDING OF RESULTS USING THE MINISTRY'S COMPUTER APPLICATION

The data and information obtained from holdings where own checks are performed (Own-check Sampling Annex) and the laboratory results shall be recorded using the computer application for the National Programme for the Control of Salmonella <https://servicio.mapa.gob.es/>

The results of the own-check samples must be recorded in the own-check application, together with the required accompanying data, within one month of the laboratory analysis result being obtained; the results must be obtained within 15 days of the sampling, on average, except in exceptional circumstances. All the data from the sampling annex must be properly filled in because it will not be possible to record the samples in the application if any data are missing. All the samples and data referring to the flocks sampled (official controls and own checks) that are not recorded in the Ministry's

Fattening flocks of Turkeys

applications will not be valid for the purposes of the PNCS. Nevertheless, any positive result for Salmonella, which is considered to have public health significance, must be notified as laid down in the PNCS.

7. Samples are taken in accordance with provisions of point 2.2 of Annex to Regulation (EU) No 1190/2012

yes

no

If no please explain.

At least two pairs of boot swabs shall be taken.

All boot swabs may be pooled into one sample. In all sampling in which swabs are taken, before putting on the boot swabs, their surface shall be moistened by:

- a) the application of maximum recovery diluents (MRD: 0,8 % sodium chloride, 0,1 % peptone in sterile deionised water);
- b) the application of sterile water;
- c) the application of any other diluents approved by the national reference laboratory referred to in Article 11 (3) of Regulation (EC) No 2160/2003; or
- d) being autoclaved in a container together with diluents.

The way to moisten boot swabs shall be to pour the liquid inside before putting them on or to shake them in a container of diluent.

Furthermore, measures must be taken to avoid the bacterial growth inhibitory effects which the disinfectants in the footbaths at the entrance to sheds may have. It shall be ensured that all sections in a house are represented in the sampling in a proportionate way. Each pair of boot swabs must cover about 50 % of the area of the house.

On completion of sampling, the swabs shall be carefully removed from the boots so as not to dislodge adherent material. Boot swabs may be inverted to retain material. They shall then be placed in a bag or pot and labelled.

Specific instructions for certain types of holdings

- For free range flocks of turkeys, samples shall only be collected in the area inside the shed.
- In flocks with fewer than 100 turkeys, where it is not possible to use boot swabs as access to the sheds is not possible, they may be replaced by hand drag swabs, where the boot swabs or socks are worn over gloved hands and rubbed over surfaces contaminated with fresh faeces, or if not feasible, by other sampling techniques for faeces fit for the intended purpose.

Preparation of samples in the laboratory (official control and own checks).

a) Absorbent boot swabs:

- The pair(s) of boot swabs must be unpacked carefully to avoid dislodging adherent faecal material. They must be submerged in 225 ml buffered peptone water that has been pre-warmed to room temperature. If necessary, more peptone water may be added so that free liquid remains around the sample to permit Salmonella to migrate.
- Swirl to fully saturate the sample and continue with the detection method.

Fattening flocks of Turkeys

b) Other samples of faeces and dust:

- The two faeces samples shall be combined and uniformly mixed and a 25 g sub-sample shall be collected for culture.
- The 25 g sub-sample shall be added to 225 ml of BPW that has been pre-warmed to room temperature and the resulting mixture swirled.
- Culture of the sample shall then be continued using the detection method indicated in this programme.

The dust sample shall preferably be analysed separately. However for fattening flocks, the competent authority may decide to allow it to be pooled with the pair of boot/sock swabs for analysis.

UNE-EN ISO 6887-6 'specific rules for the preparation of samples taken at the primary production stage' may also serve as a guide when preparing all these samples.

Identification of samples and results of analyses

The samples sent must be properly preserved and identified (in accordance with the specimen report drawn up to accompany the samples to the laboratory: Sampling Sheet) There are two model sampling sheet annexes, one for official control and the other for own checks given that, in own checks, it is not necessary to collect so much information as in official controls. In both cases it must be clearly visible that the samples are for the purposes of the PNCS, so as to avoid confusion with the holding's own samples.

Those annexes must be completed in their entirety, because all the data collected therein are necessary for evaluating the PNCS.

A copy or duplicate of the sampling annex must be kept on the holding, and must be kept together with the test results sent by the laboratory so that all the documentation relating to the samples (sampling annex and test results) is available on the farm. That documentation must be available to the official veterinary services when the official controls are carried out for the purposes of the PNCS. The documentation required may be in hard copy or electronic format. To ensure suitable traceability of the samples, the test result reports must record the following at least:

1. Date when samples were taken.
2. Identification of the flock. (REGA, CAPITAL LETTER IDENTIFYING THE SHED, DATE ON WHICH THE BIRDS ENTERED THE SHED (format mmyyyy)).
3. Poultry population (breeders, layers, broilers, fattening or breeding turkeys)
4. Samples (specimen, number and weight or volume) arriving in the laboratory and how these have been pooled for analysis.

All statements of the results of analysis and sampling annexes for the purposes of the PNCS must include the following statement in clear, readily visible form.

'THESE SAMPLES FALL UNDER THE SALMONELLA NATIONAL CONTROL PROGRAMMES'

Fattening flocks of Turkeys

8.If birds from flocks infected with SE or ST are slaughtered, please describe the measures that shall be implemented by the FBO and the CA to ensure that fresh poultry meat meet the relevant **EU microbiological criteria** (row 1.28 of Chapter 1 of Annex I to Regulation (EC) No 2073/2005): absence of SE/ST in 5 samples of 25g:

Measures implemented by the FBO (farm level)

(In order to clarify the SNCP of poultry, this text is amended as a part of the Action Plan approved after the recommendation of report ref DSG(SANTE) 2019-6597 of the EU audit to evaluate SNCP carried out in November 2019, stating that the CA should ensure that only broiler and turkey flocks that have been sampled for Salmonella with a known test result can be sent for slaughter)

In accordance with Royal Decree 361/2009 on food chain information, the operator of the livestock holding must ensure that in all shipments of animals to the slaughterhouse, full information on the results of all analyses of samples taken that have importance for human health, in the framework of the surveillance and control of Salmonella is sent to the slaughterhouse operator; in other words, the slaughterhouse operator must be informed if the result of the last analysis (or last analyses, if the samples have been taken in the near future) has been negative or positive to Salmonella spp. and, in this last case, in addition, if it is negative or positive to S. Enteritidis or S. Typhimurium, and the information of the result/s of such analysis must be included in the FCI (Food Chain Information) to be considered complete.

If a flock on the holding tests positive for S. Enteritidis or S. Typhimurium, the operator of the livestock holding must also ensure that no live birds are moved into or out off this site unless prior authorisation has been obtained for them to leave for the purposes of slaughter or destruction. Any transfer of animals must be accompanied by a health document to be drawn up and completed by the competent authority indicating at least the number of animals and the information necessary to identify the holding and the transporter.

Measures implemented by the FBO (slaughterhouse level)

Slaughter at the slaughterhouse shall be carried out in accordance with the provisions of Regulation (EC) No. 853/2004, which lays down specific hygiene rules for food of animal origin, and in particular Section II of Annex III thereof.

When a positive herd is received at the slaughterhouse, it is logistically slaughtered, i.e. the herd is slaughtered last in the daily slaughter order to minimize the possibility of cross-contamination, followed by cleaning and disinfection. This is carried out in line with the provisions of Regulation (EU) 2019/627 with the aim of reducing contamination of other animals or their meat as much as possible. In addition, in accordance with the provisions of Regulation (EC) No. 2073/2005, slaughterhouses shall include in their sampling plans poultry carcasses from flocks whose Salmonella status is unknown or positive for Salmonella Enteritidis or Salmonella Typhimurium.

There is a "Manual for the broiler sector in Spain for compliance with Regulation (EU) No 1086/2011 amending Regulations (EU) No 2160/2003 and (EC) No 2073/2005", which, although it is voluntary, can provide guidance as to the correct way of handling birds slaughtered in slaughterhouses in relation to Salmonella.

As an example of the possible system of action, attached is the management diagram of birds sent to a slaughterhouse, recommended in the "GUIDE FOR THE MEAT POULTRY SECTOR IN SPAIN FOR COMPLIANCE WITH REGULATION (EU) No. 1086/2011 AMENDING REGULATIONS (EU) No. 2160/2003 AND (EC) No. 2073/2005", with some additional issues that are carried out voluntarily by the

Fattening flocks of Turkeys

slaughterhouses that apply the guide, such as the immobilization of the carcasses sampled until the results are available.

Guide available through: https://www.aesan.gob.es/AECOSAN/docs/documentos/seguridad_alimentaria/gestion_riesgos/PROPOLLO.pdf

Measures implemented by the CA (farm and slaughterhouse level)

The official veterinarian is responsible for verifying that the correct food chain information is passed on as required pursuant to RD 361/2009: accordingly, he or she must check that the livestock holdings are passing this information to the slaughterhouses in a consistent and effective, valid and reliable manner and ensure that the relevant animal health and food safety information, including that relating to the results of Salmonella testing, is also passed on. Provision is thus made for slaughterhouses to only accept animals for which the relevant information on the holding of origin has been received. As a general rule the information should be received at least 24 hours prior to the arrival of the animals.

Slaughter in slaughterhouses must take place in accordance with Regulation (EC) No 853/2004 laying down specific hygiene rules for food of animal origin, and in particular Section II of Annex III.

Official controls must be carried out in accordance with Commission Delegated Regulation (EU) 2019/624 of 8 February 2019 concerning specific rules regarding the performance of official controls on meat production and regarding production and relaying areas for live bivalve molluscs in accordance with Regulation (EU) 2017/625 of the European Parliament and of the Council and Commission Implementing Regulation (EU) 2019/627, of 15 March 2019 laying down uniform practical arrangements for the performance of official controls on products of animal origin intended for human consumption in accordance with Regulation (EU) 2017/625 of the European Parliament and of the Council and amending Commission Regulation (EC) No. 2074/2005 of the European Parliament and of the Council and Commission Regulation (EC) No. 2074/2005 of the European Parliament and of the Council. No. 2074/2005 of the Commission as regards official controls.

The provisions of Regulation (EC) No 2073/2005, on microbiological criteria for foodstuffs, also apply in relation to the criteria for Salmonella in poultry meat. Once positive results for S. Enteritidis or S. Typhimurium are found in a consignment, the official veterinarian will ensure that targeted sampling and tests using the EN/ISO 6579 methodology or a validated alternative method are carried out, and lastly that the carcasses are withdrawn from the market and destroyed or that the destination previously given for the product is changed.

9. **Laboratories** in which samples (official and FBO samples) collected within this programme are analysed are accredited to ISO 17025 and the analytical methods for *Salmonella* detection is within the scope of their accreditation.

yes

no

If no please explain.

The Central Veterinary Laboratory in Algete (Madrid) of the Ministry of Agriculture, Fish and Food is the National Reference Laboratory for all serotypes of Salmonella in animals.

Laboratories analysing official samples as part of the programme must be established, recognised or designated by the competent bodies in the Autonomous Communities. These official laboratories must operate and have access to accredited tests for Salmonella in all matrices monitored under the PNCS

Fattening flocks of Turkeys

with which they work, and be accredited in accordance with Standard EN/ISO 17025 on general requirements for the competence of testing and calibration laboratories, or must apply quality assurance systems in accordance with that standard. They must also participate in the ring tests organised or co-ordinated by the National Reference Laboratory. The laboratories participating in the programme for the purposes of carrying out own checks must be recognised by the competent authorities of the Autonomous Communities in which they are established and must operate and have access to accredited tests for Salmonella in all matrices monitored under the PNCS with which they work, and be accredited in accordance with Standard EN/ISO 17025 on general requirements for the competence of testing and calibration laboratories, or apply quality assurance systems in accordance with that standard. Laboratories must also regularly participate in collaborative testing organised or co-ordinated by the National Reference Laboratory.

The list of participating laboratories must be published, for information purposes, at least on the MAPA website. The competent authorities of the Autonomous Communities shall notify the Ministry of Agriculture, Fish and Food of the laboratories referred to in the previous paragraph or of any modifications to them so that the list may be published at least on the departmental website for information purposes. Where a laboratory serves at the same time as an Autonomous Community's official laboratory and participates in the own-check programme, it must notify the relevant competent authority or authorities and ensure that the two activities are managed separately, and is subject to monitoring and periodic inspection by the competent authority to check that these are separate. If it fails to notify the authorities, or cannot guarantee that the activities are kept separate, it cannot operate as an official laboratory. The results obtained by authorised laboratories for both official monitoring and own checks shall be valid and applicable throughout the country. Laboratories must reject samples which do not meet the requirements specified in this programme.

10. The **analytical methods** used for the detection of the target *Salmonella* serovars is the one defined in Part 3.2 of the Annex of Regulation (EU) No 200/2012 i.e. Amendment 1 of EN/ISO 6579-2002/Amd1:2007.

'Microbiology of food and animal feeding stuffs - Horizontal method for the detection of Salmonella spp. — Amendment 1: Annex D: Detection of Salmonella spp. in animal faeces and in environmental samples from the primary production stage'.

Serotyping is performed following the Kauffman-White-Le Minor scheme.

For samples taken on behalf of the FBO alternative methods may be used if validated in accordance with the most recent version of EN/ISO 16140.

yes

no

If no please explain.

Salmonella spp. shall be isolated in accordance with Standard EN/ISO 6579-1. Horizontal method for the detection of Salmonella spp. in animal faeces and in samples at primary production level" which uses a semi-solid culture medium (modified semi-solid Rappaport -Vassiladis - MSR) as a single selective enrichment medium. The semi-solid medium should be incubated at 41.5 ± 1 °C for 2x (24±3) hours. At least one isolate from each sample showing a positive reaction shall be typed, in accordance with the Kaufmann-White-Le Minor scheme. Laboratories may type their own Salmonella isolates or send them other laboratories authorised within the PNCS to be typed. The laboratory where typing takes place must issue a report including its results and send it to the laboratory that sent the isolates to be typed. The recording of results in the application and the notification of results as indicated in this programme

Fattening flocks of Turkeys

are the responsibility of the laboratory that isolated the Salmonella. To prevent any delays in obtaining and notifying the results of typing:

- The isolate must be sent to another laboratory for typing no more than 24 hours following isolation.
- Typing must begin in the laboratory no more than 24 hours following receipt of the isolate in the laboratory.
- The issue and dispatch of the results report from the typing laboratory to the laboratory that sent the isolate, or the notification of the results, as appropriate, must take place no more than 24 hours after the results are obtained in the laboratory.
- The recording in the application and the notification of positive results by the isolating laboratory must take place within the deadlines laid down in this programme.

Alternative methods

Alternative methods may be used instead of the methods referred to above, if validated in accordance with EN ISO 16140-2 (for alternative detection methods).

Storage of strains

At least the strains isolated from samples collected by the competent authority shall be stored for possible further characterization and antimicrobial susceptibility testing, as determined by Implementing Decision (EU) 2020/1729 of 17 November 2020 on antimicrobial resistance surveillance and reporting Decision 2013/652/EU of 12 November 2013 on monitoring and reporting of antimicrobial resistance in zoonotic and commensal bacteria, using normal culture collection methods, which should ensure the integrity of the strains for at least two years.

Pursuant to that Decision, strains isolated from the own-check samples may also be stored to that end if the competent authority so decides.

To that end, the official control laboratories must send all strains of Salmonella isolated in the framework of the PNCS to the National Reference Laboratory (Algete). Own-check laboratories must also send the National Reference Laboratory (Algete), on request, any strains obtained in the framework of the PNCS. The frequency of dispatch of such strains shall be as agreed between the National Reference Laboratory and the laboratories.

11. Samples are transported and stored in accordance with point 2.2.4 and 3.1 of the Annex to Regulation (EU) No 200/2012. In particular samples examination at the laboratory shall start within 48 hours following receipt and within 4 days after sampling.

yes

no

If no please explain.

Samples shall be packed to ensure identification and safety of contents up to their arrival at the laboratory, using sterile, hermetically sealed containers. Samples shall be sent to the laboratories referred to in Articles 11 and 12 of Regulation (EC) No 2160/2003, within 24 hours after collection, preferably by express mail or courier. If not sent within 24 hours, they must be stored refrigerated. They may be transported at ambient temperature as long as excessive heat (over 25°C) and exposure to sunlight are avoided. At the laboratory samples shall be kept refrigerated until examination, which shall be started within 48 hours of receipt and within 96 hours of sampling.

Fattening flocks of Turkeys

12. Please describe the **official controls at feed level** (including sampling).

Comments (max. 32000 chars) :

Control measures to prevent the introduction of *Salmonella* spp. in farms through feed are based on the verification of compliance with current feed regulations by the competent authority of the Autonomous Regions.

As described in Article 15 of Regulation (EC) 178/2002 laying down the general principles and requirements of food law, establishing the European Food Safety Authority and laying down procedures in matters of food safety, the feed operator shall not place unsafe feed on the market which has an adverse effect on human or animal health or which renders the feed obtained from food-producing animals unsafe for human consumption. Therefore, the operator shall take necessary, effective, proportionate and specific measures to continuously minimize potential *Salmonella* contamination and protect human and animal health. The producer of the feed material shall establish, implement and maintain a permanent written procedure or procedures based on HACCP principles in accordance with Article 6 of Regulation (EC) 183/2005 laying down requirements for feed hygiene. Procedures based on HACCP or guidelines are aimed at significantly reducing the presence of *Salmonella* and minimizing the re-contamination of the final product or reducing the level of contamination, according to the specific risk assessment of each operator through a strict system of controls throughout the process and the application of various measures aimed at reducing the risk of *Salmonella* spp. presence. The critical points of the manufacturing process will depend on each operator and will have to take into account the evaluation and control of suppliers (microbiological quality of the raw materials supplied or other factors that may compromise it), the application of cleaning programs and the application of good practice guidelines throughout the production chain (storage of raw materials, manufacturing, storage of the finished product, etc.).

The control measures by the competent authority of the Autonomous Regions include different aspects such as the verification of the purchase of feed from registered or authorized operators, in accordance with Regulation (EC) 183/2005 laying down requirements for feed hygiene, including the application of systems and self-monitoring based on HACCP principles and guides to good hygiene practices. The objective is to ensure that no *Salmonella* contamination occurs during the processing of poultry feed, guaranteeing feed safety at all stages that may have an impact on feed and food safety, including the primary production of feed and food. It should also be noted that Regulation (EC) No. 183/2005 on Feed Hygiene, applicable since January 1, 2006, requires the establishment of harmonized microbiological criteria, based on scientific criteria of Risk Analysis, to harmonize intra-Community trade and ensure that imported feed complies with levels at least equivalent to those produced in the national territory. According to this Regulation, feed exporting companies must comply with specific microbiological criteria. The criteria and targets must be adopted by the EU in accordance with the procedure laid down in Article 31 of the Regulation. Feed business operators responsible for the primary production of feed must take the necessary measures to prevent, eliminate or reduce feed safety risks during the procurement and storage of raw materials and the subsequent stages of manufacture, preparation, cleaning, packaging, storage and transport of such products (as referred to in Annex I of Regulation 183/2005). They must also keep records detailing the measures taken to control contamination hazards. Other feed business operators must take appropriate measures to ensure the safety of the products they manufacture, transport or use. These measures are more precisely detailed in Annex II of the aforementioned regulation, and they shall apply the principles of the HACCP system, taking corrective measures when the monitoring of a critical point is not controlled and implementing internal procedures to verify that the measures taken are effective. They must also maintain records in order to demonstrate the application of these measures.

Fattening flocks of Turkeys

Therefore, feed hygiene requirements are verified in all the activities of operators in the animal feed sector, from the primary production of feed to its commercialization, as well as the feeding of food-producing animals and the import and export of feed from and to third countries, with the purpose of adopting the appropriate measures to guarantee the safety of feed at each stage.

It should be noted that there is no Community or national regulation establishing microbiological criteria for *Salmonella* (or other microorganisms) in raw materials and feed of vegetable origin, although there are legal criteria established for raw materials and feed of animal origin.

The program of official controls in animal feed, approved within the National Coordination Commission for Animal Feed (CNCAA), indicates that, given that, in the case of vegetable products (whether raw materials or feed), these determinations do not have a maximum limit established in the current national or Community regulations, in the event of a positive result for *Salmonella*, an identification of the serotype must be requested. Only in the case of *S. Enteritidis*, *S. Typhimurium*, *S. Infantis*, *S. Virchow* and *S. Hadar*, notification will be made through the Alert Network.

In case of a positive result for *Salmonella* spp, the approved HACCP system must apply corrective measures that allow the product, in a new analytical control, to demonstrate that it is suitable to be placed on the market. These measures are included in international, community and national sectoral guides. This is the case of the Guide for the development of feed sanitization standards, prepared in 2007 by the Spanish Confederation of Compound Feed Manufacturers (CESFAC), which compiles in a single document the possible sanitization systems that can be applied in a factory to obtain microbiologically safe feed, such as heat treatment or the use of authorized additives. Available at: <https://cesfac.es/media/attachments/2019/08/08/guia-higienizacin.pdf>

The information on the authorization of feed additives, contained in the guides, must be verified with the register of authorized additives which can be accessed through the following link: https://food.ec.europa.eu/safety/animal-feed/feed-additives/eu-register_en

There are no criteria to be followed in the EU zoonosis regulations regarding the potential presence of *Salmonella* and other potential zoonotic agents in feed. The sampling that accompanies the official controls on establishments that destine products for animal feed includes analytical determinations to detect the presence of *Salmonella* in raw materials and feed. In the case of products of plant origin, analytical determinations are carried out taking into account the risk criteria established in public documents approved by the CNCAA in which possible hazards to be controlled in raw materials intended for the manufacture of animal feed and, therefore, in the feed of which they are part (DOC CNCAA 1/2015 vers 1. Main hazards to be controlled in self-control systems). This document has been disseminated to operators in the sector through their associations, the control authority, and is accessible on the SILUM application on the website of the Ministry of Agriculture, Fisheries and Food: <https://www.mapa.gob.es/es/ganaderia/temas/alimentacion-animal/acceso-publico/pruebaotros.aspx> Every year, more than 3,000 official inspections are carried out in national establishments destined for animal feed products, verifying the self-controls performed by operators in the sector and more than 1,000 official samples are taken for the determination of microbiology, including *Salmonella*. These data are included in the PNCOCA annual report, distributing the samples among raw materials, compound feed and other products.

13. Official controls at holding and flock level

- a. Please describe the official checks concerning the **general hygiene provisions** (Annex I of Regulation (EC) No 852/2004) including checks on biosecurity measures, and consequences in case of unsatisfactory outcome.

Fattening flocks of Turkeys

(max. 32000 chars) :

Turkey holding operators shall have a code of good hygiene practice adapted from that applying to fattening turkeys holdings to achieve the aim of this national Salmonella surveillance and control programme, and shall ensure that the health information is kept up-to-date. The following records must be kept at holdings:

- a) A record of the type and source of feed supplied to the animals.
- b) A record of the outbreak of diseases that could affect the safety of animal by-products.
- c) An up-to-date visitors' register listing the people and vehicles that have entered the holding.
- d) A record of medicinal treatments, containing the information specified under Article 8 of Royal Decree 1749/1998 setting out the applicable control measures for certain substances and their residues in live animals and their products.
- e) All the results of the Salmonella analyses and controls performed on the holding during the production stage. The results of the analyses of any samples taken in the incubator relating to that flock must also be kept. All these records shall be kept by the holder for at least three years. Those relating to the last 12 months shall be kept on the holding itself.
- f) All movements of flocks entering and leaving the holding must be recorded in the holding register. The flock sheet must be kept for at least three years after the flock is slaughtered.
- g) There must also be a documentary record of:
 1. The protocols and records of cleaning and disinfection work (dates, products used, the person or company responsible for this work).
 2. Analyses to check that cleaning and disinfection operations carried out during the depopulation period have been effective in guaranteeing control of Salmonella with public health significance.
 3. The programmes and records of insect and rat extermination operations (dates, products used, procedure to check the effectiveness of the programme, etc.).
- h) Producers of rearing chickens must report on the health status of the breeding flock of origin and on any vaccinations and own checks during the rearing of the chickens; this information must accompany the chickens when they are transferred to the producing holdings.

The holder shall have all the mandatory health documentation and record all the necessary details to enable the competent authority to perform ongoing checks on compliance with the holding health programme and the code of good hygiene practice, and in particular the records mentioned above under a), b), c), d), e), f) and g).

All holdings included in the programme shall be placed under the veterinary supervision of both the official veterinary services and of the authorised or competent veterinarians responsible for the holding, as laid down in Law No 8/2003 on animal health.

Without prejudice to Royal Decree No 637/2021, the owner of the holding must adopt protective livestock rearing measures to control the introduction of or contamination by Salmonella spp on the

Fattening flocks of Turkeys

holding. In particular:

a) The design and maintenance of the installations must be suitable for preventing the entry of *Salmonella* spp.;

b) Appropriate measures must be taken to control rodents, insects, wild birds and other domestic or wild animals which might introduce the disease. A rat extermination programme must be carried out either by the holding itself or by authorised establishments;

c) Day-old poults are obtained from breeding turkey holdings and hatcheries which have satisfactorily passed inspections to prevent the vertical transmission of *S. enteritidis* and *S. typhimurium*, including its single-phase variant, the supplier must certify that the said chicks come from holdings free from the said serotypes, and documentation including the results and dates of the laboratory analyses (own checks and official sampling) performed since the last official sampling at the source holding must be made available to the purchaser;

d) Appropriate washing, cleaning, disinfection and rat extermination measures are taken in the production sheds and ancillary structures and on the materials and tools used in the production activities;

e) Tests are carried out to ensure that the cleaning and disinfection operations were performed appropriately.

To verify cleaning and disinfection one or more moistened fabric swabs of at least 900 cm² per swab, moistened using appropriate diluents (such as 0,8 % sodium chloride, 0,1 % peptone in sterile deionised water, sterile water or any other diluent approved by the competent authority, shall be used to swab as large a surface area in different points in the house (floor, walls, feeding equipments, watering equipments, belts, pilars, water and feeding pipes, scrapers and any other difficult point to clean and disinfect).

Samples can be pooled to perform and single culture, or by enriching the peptone water separately and then taking 1 ml of the incubated peptone water of each sample, mixing them well and then take 0.1ml of the mixture and inoculate the modified Rappaport-Vassiliadis semisolid medium plates (MSRV).

These samples must be analysed in laboratories authorised under the national *Salmonella* monitoring and control programmes.

The detection methods used must be the same as those used for all other SNCP samples.

The results must be recorded in the computerised own-check application of MAPA. These samples shall be recorded within the samples of the outgoing flock. The Annex for own-check samples shall be used to send the samples to the laboratory.

The competent authorities shall check the suitability of the cleaning, disinfection and depopulation measures adopted in the hen houses and, where appropriate, shall authorise installations to be occupied by new animals.

f) Adequate measures must be taken to prevent the transmission of *Salmonella* spp through drinking water.

Fattening flocks of Turkeys

g) The appropriate measures must be taken to prevent the presence of *Salmonella* spp in raw materials and feedingstuffs.

Specifically, the manufacturer or supplier of feed to the holding must guarantee that testing for *Salmonella* has been carried out and make express provision for such tests in the relevant HACCP system.

The checks must include analysis of the corresponding samples, which shall be made available to the health managers of the holdings receiving the feed.

The veterinarian responsible for the holding may assist with the interpretation of the results of the analysis;

h) Suitable training courses for operators and, if necessary, for the owners of the holding shall be carried out;

i) Suitable health checks must be carried out to detect the possible source or sources of *Salmonella* contamination where the bacterium has been detected in animals or if this emerges from the epidemiological investigation;

j) Appropriate sampling and analyses are carried out to detect *Salmonella* spp.;

k) Appropriate measures are taken in the event of positive cases of salmonellosis caused by either of the two *Salmonella* serotypes;

l) Appropriate measures must be taken to ensure the proper management of by-products of animal origin not intended for human consumption

i) Suitable health checks must be carried out to detect the possible source or sources of *Salmonella* contamination where the bacterium has been detected in animals or if this emerges from the epidemiological investigation;

j) Appropriate sampling and analyses are carried out to detect *Salmonella* spp.;

k) Appropriate measures are taken in the event of positive cases of salmonellosis caused by either of the two *Salmonella* serotypes;

b. Routine official **sampling scheme**: EU minimum requirements are implemented i.e. official sampling are performed:

■ in one flock of fattening turkeys per year on 10% of holding comprising at least 500 fattening turkeys;

yes

no

Fattening flocks of Turkeys

If no please explain. Indicate also: 1)if additional official sampling going beyond EU minimum requirements is performed, give a description of what is done 2)who is taking the official samples.

Official samples must be taken by the qualified or authorised veterinarian or in some cases by sufficiently trained authorised personnel under veterinary supervision, and shall cover at least:

This shall be done once a year, on at least one flock on 10% of the holdings with at least 500 fattening turkeys, and may be repeated whenever the competent authority considers this appropriate.

In any Autonomous Community with fewer than 10 holdings an official control shall be conducted on at least one farm.

Among the risk criteria for choosing 10% of the holdings the following shall be taken into account:

a) characteristics of holdings:

- type of production
- size of the farm (poultry population)
- poultry density in the province (measured in this case by the number of holdings)

b) historical record of holdings

- changes in the results obtained in the sampled holdings in previous years.
- Priority to be given to those holdings on which no information is available

c) cases of non-compliance

- Priority to be given by assigning a greater risk to those holdings on which shortcomings in the biosafety surveys have not been remedied and those on which positive results have been obtained.

Sampling shall take place within the last three weeks before the birds are sent for slaughter.

Sampling performed by the competent authority may replace sampling on the initiative of the food business operator (own check).

If necessary, results may be requested of laboratory analyses of the worker/s in charge of the animals in order to determine whether there are any *Salmonella* spp. carriers among them.

All data and information gathered on holdings on which official sampling has been performed (SAMPLING SHEET AND BIOSAFETY PROTOCOLS ANNEX) and the laboratory results shall be recorded in a dedicated computer application developed for the National Programme for the Control of Salmonella.
<https://servicio.mapama.gob.es/>

Other official samples

Whenever the competent authorities see the need, official samples of animal feed, drinking water and environmental samples may be taken to check the effectiveness of cleaning and disinfection measures. Other types of samples may also be taken.

The competent authority may decide to increase the minimum number of samples in order to ensure representative sampling on a case-by-case evaluation of epidemiological parameters, such as biosecurity conditions, the distribution or size of the flock.

Fattening flocks of Turkeys

c. Official confirmatory sampling (in addition to the confirmatory samples at the holding which are systematically performed if FBO or official samples are positive at the hatchery):

After positive official samples at the holding

Always

Sometimes (criteria apply)

Never

After positive FBO samples at the holding

Always

Sometimes (criteria apply)

Never

When official confirmatory sampling is performed, additional samples are taken for checking the presence of antimicrobials:

Always

Sometimes

Never

Please insert any comments. Describe the criteria used to determine if confirmatory sampling is performed. Indicate also which samples (if any) are taken to check the presence of antimicrobials.

d. Article 2 of Regulation (EC) No 1177/2006 (antimicrobials shall not be used as a specific method to control *Salmonella* in poultry): please describe the official controls implemented (documentary checks, sample taking) to check the correct implementation of this provision. For samples please describe the samples taken, the analytical method used, the result of the tests.

(max. 32000 chars):

The checks made by the competent authorities (laboratory tests or documentary checks on the records of the holding) must guarantee that no antimicrobial medicinal products that might affect the result of

Fattening flocks of Turkeys

analyses have been used.

In addition to the sampling provided for, when appropriate a random sample of birds may be taken within each shed housing birds on a holding, usually of up to five birds per flock unless the competent authority considers it necessary to include a greater number of birds in the sampling.

The examination shall consist of a test, using accredited techniques to detect the effect of bacterial growth inhibitors or antimicrobials.

Samples of feed and water may be taken simultaneously with the aim of detecting and quantifying the quantity of antimicrobials if necessary.

Where the presence of the Salmonella serotypes covered by the programme is not detected but antimicrobials or bacterial growth inhibitory effects are detected it shall be considered and accounted for as an infected flock for the purpose of the Union target.

These samples, in the framework of the SNCP, shall not take in triplicate notwithstanding that these actions can be combined with other programs in which these samples in triplicate are necessary.

If, from this action, derive measures related to the national plan of investigation of residues of veterinary drugs, it will take the appropriate actions, according to the aforementioned regulations.

14. Please describe the official procedure to test, after the depopulation of an infected flock, the **efficacy of the disinfection** of a poultry house. (no of samples, of tests, sample taken, etc)

(max. 32000 chars) :

Once the birds have been removed, the holding will be cleaned efficiently and thoroughly (including complete removal of the bedding and excrement), followed by disinfection, insect removal and rat extermination. The above tasks will be performed using properly authorised and registered products. A suitable time after disinfection is complete, environmental samples will be taken to check the effectiveness of the cleaning and disinfection and to make sure that Salmonella is no longer present in the environment.

The competent authorities will check whether the cleaning and disinfection measures applied following the destocking of the shed have been performed to a satisfactory standard and, where appropriate, will authorise restocking with new animals.

To verify cleaning and disinfection two or more moistened fabric swabs of at least 900 cm² per swab, moistened using appropriate diluents (such as 0,8 % sodium chloride, 0,1 % peptone in sterile deionised water, sterile water or any other diluent approved by the competent authority, shall be used to swab as large a surface area in different points in the house (floor, walls, feeding equipments, watering equipments, belts, pilars, water and feeding pipes, scrapers and any other difficult point to clean and disinfect).

Samples can be pooled to perform and single culture, or by enriching the peptone water separately and then taking 1 ml of the incubated peptone water of each sample, mixing them well and then take 0.1 ml of the mixture and inoculate the modified Rappaport-Vassiliadis semisolid medium plates (MSRV).

These samples must be analysed in authorised laboratories in the framework of the national Salmonella monitoring and control programmes.

The detection methods used must be the same as for the other samples under the PNCS.

The results for the same must be recorded using the MAPA computer application for own checks.

The samples must be recorded alongside the samples for the outgoing flock.

The sampling sheet for own checks must be used when sending such samples to the laboratory.

If there is a positive result (we detect Salmonella spp.), cleaning and disinfection should be repeated.

The premises shall not be restocked for 12 days after completion of the cleaning, disinfection, rat

Fattening flocks of Turkeys

extermination and if necessary insect removal processes. Repopulation may take place only if the environmental analyses carried out in accordance with the programme are satisfactory, and if biosecurity measures considered inadequate or deficient by the competent authority have been properly corrected. Notwithstanding the above, in those cases where the results of those tests prove the effectiveness of the cleaning and disinfection undertaken, the waiting period may be reduced to a minimum of 7 days.

B. General information

1. Structure and organisation of the **Competent Authorities** (from the central CA to the local CAs)

Short description and/or reference to a document presenting this description (max. 32000 chars) :

For the purposes of this programme, the competent authorities shall be those of the Autonomous Communities and the General State Administration responsible for animal health matters. The Subdirectora-te-General for Animal Health and Hygiene of the Ministry of Agriculture, Fish and Food (MAPA) is responsible for developing and coordinating this monitoring and control programme and for making any necessary amendments, particularly in the light of the data and results obtained; it shall liaise with the Commission, summarising the data and results obtained for communication to the Commission and reporting on the development of the disease. Royal Decree 1440/2001 of 21 December 2001 setting up the veterinary health warning system created the "National Veterinary Health Warning System Committee" (a diagram of the Health Warning System Network (RASVE) is enclosed), which is responsible for studying and proposing measures to prevent, control, combat and eradicate diseases covered by national programmes. Its tasks were reinforced by Law No 8/2003 on animal health. This committee is attached to the Ministry of the Agriculture, Fish and Food (MAPA), and its members represent all the Autonomous Communities and the Ministry of Health, consumption and welfare for zoonoses. Its tasks include the following:

- a) Coordinating animal health actions across the different administrations.
- b) Studying measures for preventing, controlling, combating and eradicating the diseases covered by the national programmes.
- c) Monitoring the development of the epidemiological situation with regard to animal diseases at national, European and international level.
- d) Proposing relevant measures.

This national committee could agree to set up a consultative committee on avian salmonellosis, which would be attached to it, and would include members of the most representative organisations and associations in this sector in Spain, and may also include the professional association of veterinary officers. The role of this consultative committee would be to advise the Committee when requested to do so and also to put any relevant issues to it for consideration.

2. **Legal basis** for the implementation of the programme

Fattening flocks of Turkeys

(max. 32000 chars):

The measures included in this programme relating to the detection of *Salmonella* comply with the requirements established in parts D and E of Annex II to Regulation (EC) No 2160/2003 of the European Parliament and of the Council, and are developed in accordance with Commission Regulation (EU) No 1190/2012, including requirements for detection tests (type of samples, sampling frequency, preparation of the samples, laboratories, analysis methods and notification of results).

3. Give a short summary of the outcome of the **monitoring of the target *Salmonella* serovars** (SE, ST) implemented in accordance with Article 4 of Directive 2003/99/EC (evolution of the prevalence values based on the monitoring of animal populations or subpopulations or of the food chain).

(max. 32000 chars):

Council Directive 92/117/EEC, repealed by Directive 2003/99/EC, concerning measures for protection against specified zoonosis and specified zoonotic agents in animals and products of animal origin in order to prevent outbreaks of food-borne infections and food poisoning.

A reference study was made of prevalence at Community level of *Salmonella* in turkey flocks of the species *Meleagris gallopavo* between October 2006 and September 2007. Analyses were made and samples taken from selected flocks of turkeys in accordance with Community guidelines as laid down in Commission Decision 2005/662/EC.

According to information obtained from the study, prevalence of *S. enteritidis* and *S. typhimurium* serotypes in breeding turkey flocks was 0% and 2.8% in turkeys for fattening, rising to 5.3% in breeding turkeys and 56.3% in turkeys for fattening for *Salmonella* spp.

The evolution of the prevalence of the types of *Salmonella* covered by checks on fattening turkey flocks is shown in the attached graphic.

4. System for the registration of holdings and identification of flocks

(max. 32000 chars):

The obligation to register livestock holdings in Spain derives, firstly, from Article 39 of Law No 8/2003 of 24 April 2003 on Animal Health. More specifically, and in terms of poultry keeping, the obligation to register poultry-keeping holdings is regulated by the following legislation:

Royal Decree No 479/2004 of 26 March 2004 setting up and regulating the general register of livestock holdings. This applies to all livestock species.

They must be registered with a registration code/number and be classed in one of the following groups:

- Meat-producing farms, and
- Breeding farms.

Fattening flocks of Turkeys

Royal Decree 1084/2005 of 16 September 2005 regulating poultry rearing for meat Applicable to holding that breed or keep poultry for meat production, excluding own-consumption holdings, as set out in Article 2(b).

Legislative measures and provisions concerning identification of the flocks:

The programme shall cover fattening turkey flocks, since individual animals are not identified.

Poultry flocks shall be defined in accordance with Regulation (EC) No 2160/2003 of the European Parliament and of the Council.

For the purposes of the programme, an epidemiological unit shall be considered to be a flock of turkeys, defined as all poultry reared for the production of meat or eggs with the same health status kept on the same premises or within the same enclosure and constituting a single population in epidemiological terms; in the case of housed poultry, this includes all birds sharing the same airspace in accordance with Article 2(3)(b) of Regulation (EC) No 2160/2003 of the European Parliament and of the Council. Flocks of turkeys shall have an individual identification. To identify the flocks on a holding a capital letter corresponding to the shed shall be used (this letter must be written on the door to the shed), and the date of entry of the birds to the shed must be written in the format mm/yyyy.

REGA+SHED (CAPITAL LETTER)+ ENTRY DATE OF THE BIRDS (mm/yyyy)

5. System to monitor the implementation of the programme.

(max. 32000 chars):

Taking account of the structure and organisation of the Spanish State, the General State Administration — represented by the Subdirectorate-General for Animal Health and Hygiene and Traceability of the Ministry of Agriculture, Fish and Food (MAPA) is responsible for developing and coordinating this monitoring and control programme and for making any necessary amendments, particularly in the light of the data and results obtained; it shall liaise with the Commission, summarising the data and results obtained for communication to the Commission; lastly, it is responsible for reporting on the development of the disease. The Autonomous Communities are responsible for the direct implementation and monitoring of the activities to be carried out under the programme. In addition, to facilitate monitoring and follow-up of the data obtained, we have two computer applications for recording information from own checks and official controls. Information from own checks is recorded by the authorised laboratories that analyse own-check samples, and information from official controls is recorded by the official veterinary services of the Autonomous Communities. The information is thus subject to double review: the Autonomous Communities review the information from both applications on their territory, and the Subdirectorate-General for Animal Health and Hygiene and Traceability globally reviews all of the results.

Finally, a plan to control own checks and inspect own-check laboratories is in place.

With a view to ascertaining that the own checks are being performed correctly, the competent authority may carry out the following plan to control own checks and inspect own-check laboratories (document to be inserted).

Fattening flocks of Turkeys

The official veterinary services shall perform a quality control of the own checks in a certain percentage of holdings, selected annually on the basis of the following prioritised risk criteria: Holdings in which own checks have shown negative results for the serotypes covered by the checks and official controls have shown positive results. Holdings in which own checks have shown negative results for the serotypes covered by the checks and in which there has been some Public Health communication regarding positive results. Holdings with negative results for own checks relating to the serotypes covered by the checks and positive LOD effectiveness control analysis.

Holdings in which own checks have shown negative results for the serotypes covered by the checks and in which there are no official controls, chosen at random.

The checks performed during the inspection shall consist of a series of questions to ascertain whether the stipulations of the programme are being fulfilled and an on-site inspection of the own-check sampling.

In this case, the own-check sampling shall be performed in the presence of an official veterinarian who, as an observer, shall try to identify practices that are not in line with the sampling procedures that are set out in the National Programmes and applicable to both CO and AUT. They must check critical aspects of these that can presumably have an impact on the results (e.g. use of enriched peptone water in boot swabs, origin, expiry, representativeness of the sample, number of steps and surface area used, where relevant, dispersion of the aliquots of faeces in order to generate sufficient representativeness in the pools, etc.). How and where the samples are kept before being sent to the laboratory must also be investigated, as must compliance with the deadlines for their being received in the laboratory.

During this inspection, the competent authority shall ask any questions it deems relevant and request the necessary documents regarding implementation of the own checks.

The official veterinarian must note down the results of the control in an inspection report. The information in that report, and any other information obtained when tracing the sample until it arrives in the laboratory, shall be used by the competent authority to draw up an appraisal report. If any anomalies are detected, they shall be reported to the producer as quickly as possible so that they may be corrected immediately for use in successive own checks, irrespective of the administrative effects that could arise in this case in particular. The competent authority shall give a copy of the report to the person responsible for the own-check sampling.

If the competent authority considers it appropriate, duplicate samples shall be taken. One of the samples shall be taken by the official veterinarian, using his own materials, and shall remain in his possession. This sample shall be sent to an official laboratory, together with the sampling sheet. The other sample shall be taken by the person in charge of own-check sampling and shall be taken using materials provided by this person. It shall remain in his possession and must be analysed like any other own check.

Whenever there are large discrepancies between the official control results and the own-check results on the same flock, the competent authority may request, if it deems it necessary, the isolated strains of the said flock from the own-check laboratory that analysed them in order to perform an analysis of them in an official laboratory in its Autonomous Community.

The inspections in the laboratories shall take place in accordance with the document attached above. Within two years, each Autonomous Community must have inspected all of the laboratories in its territory.

Fattening flocks of Turkeys

C. Targets

1 Targets related to flocks official monitoring

1.1 Targets on laboratory tests on official samples for year :

2023

Type of the test (description)	Target population	Number of planned tests
Bacteriological detection test	Fattening flocks of Turkeys	90
Serotyping	Fattening flocks of Turkeys	60
Antimicrobial detection test	Fattening flocks of Turkeys	5
Test for verification of the efficacy of disinfection	Fattening flocks of Turkeys	15

1.2 Targets on official sampling of flocks for year :

2023

Type of the test (description)	Rearing flocks	Adult flocks
Total No of flocks (a)	0	4 250
No of flocks in the programme	0	4 250
No of flocks planned to be checked (b)	0	85
No of flock visits to take official samples (c)	0	88
No of official samples taken	0	90
Target serovars (d)	SE + ST	SE + ST
Possible No of flocks infected by target serovars	0	10

(a) Including eligible and non eligible flocks

(b) A checked flock is a flock where at least one official sampling visit will take place. A flock shall be counted only once even if it was visited several times.

(c) Each visit for the purpose of taking official samples shall be counted. Several visits on the same flock for taking official samples shall be counted separately.

(d) Salmonella Enteritidis and Salmonella Typhimurium = SE + ST

Salmonella Enteritidis, Typhimurium, Hadar, Infantis, Virchow = SE+ ST + SH +SI + SV

Fattening flocks of Turkeys

E. Financial information

1. Identification of the implementing entities - financial circuits/flows

Identify and describe the entities which will be in charge of implementing the eligible measures planned in this programme which costs will constitute the reimbursement/payment claim to the EU. Describe the financial flows/circuits followed.

Each of the following paragraphs (from a to e) shall be filled out if EU cofinancing is requested for the related measure.

a) Implementing entities - **sampling**: who perform the official sampling? Who pays?
(e.g. authorised private vets perform the sampling and are paid by the regional veterinary services (state budget); sampling equipment is provided by the private laboratory testing the samples which includes the price in the invoice which is paid by the local state veterinary services (state budget))

The official samples are taken by official veterinarians. The cost of sampling is covered by the administrative authorities, in this case the Autonomous Communities.

b) Implementing entities - **testing**: who performs the testing of the official samples? Who pays?
(e.g. regional public laboratories perform the testing of official samples and costs related to this testing are entirely paid by the state budget)

The official samples are analysed in the official laboratories of the Autonomous Communities. The cost of the analyses is covered by the Autonomous Community. The national reference laboratory (NRL, Algete) also carries out serotyping analysis of official samples. To a lesser extent, it also performs isolation and identification analyses. These analyses are paid for by the NRL.

Fattening flocks of Turkeys

c) Implementing entities - **compensation**: who performs the compensation? Who pays?
(e.g. compensation is paid by the central level of the state veterinary services,
or compensation is paid by an insurance fund fed by compulsory farmers contribution)

The official veterinary services of the Autonomous Communities (ACs) organise compulsory slaughter and are responsible for providing slaughter compensation. The ACs are responsible for financing this. For broiler chickens and fattening turkeys, slaughter in the case of positive flocks is not compulsory and therefore is not compensated.

d) Implementing entities - **vaccination**: who provides the vaccine and who performs the vaccination? Who pays the vaccine? Who pays the vaccinator?
(e.g. farmers buy their vaccine to the private vets, send the paid invoices to the local state veterinary services which reimburse the farmers of the full amount and the vaccinator is paid by the regional state veterinary services)

The vaccination of broilers and fattening turkeys is not compulsory and is not carried out. The administrative authorities therefore do not finance it.

e) Implementing entities - **other essential measures**: who implement this measure? Who provide the equipment/service? Who pays?

Installations are always cleaned and disinfected after the sheds have been emptied. Before repopulating the sheds, cleaning and disinfection must be checked, taking environmental samples. These activities are the responsibility of the food business operators, who pay for them. On some occasions, the competent authority of the ACs also takes samples to check the effectiveness of cleaning and disinfection, in which case the administrative authorities cover the cost.

Fattening flocks of Turkeys

2. Source of funding of eligible measures

All eligible measures for which cofinancing is requested and reimbursement will be claimed are financed by public funds.

yes

no

3. Additional measures in exceptional and justified cases

In the "*Guidelines for the Union co-funded veterinary programmes*", it is indicated that in exceptional and duly justified cases, additional necessary measures can be proposed by the Member States in their application.

If you introduced these type of measures in this programme, for each of them, please provide detailed technical justification and also justification of their cost:

Fattening flocks of Turkeys

Attachments

IMPORTANT :

- 1) The more files you attach, the longer it takes to upload them .
- 2) This attachment files should have one of the format listed here : **jpg, jpeg, tiff, tif, xls, xlsx, doc, docx, ppt, pptx, bmp, pna, pdf.**
- 3) The total file size of the attached files should not exceed 2 500Kb (+- 2.5 Mb). You will receive a message while attaching when you try to load too much.
- 4) IT CAN TAKE **SEVERAL MINUTES TO UPLOAD** ALL THE ATTACHED FILES. Don't interrupt the uploading by closing the pdf and wait until you have received a Submission Number!
- 5) Only use letters from a-z and numbers from 1-10 in the attachment names, otherwise the submission of the data will not work.

List of all attachments

		Attachment name	File will be saved as (only a-z and 0-9 and - _):	File size
			Total size of attachments :	